



Location: 400 W. Gowe Mail to: 220 4th Avenue South

Avenue South Kent, WA 98032-5895 (253) 856-5500 FAX: (253) 856-6500

www.ci.kent.wa.us/publicworks

## **Wetland Status**

## Please print in black ink only.

Name of Project:		Permit No	
Type of Application:			
<b>Wetlan</b> □ This We wet	ad Status:  Is site is identified on the City of Kent etland Inventory as having a potential tland. An approved Wetland Delineation port will be required prior to any land expermit approvals for this site.  See Development Assistance Brochure No. 9 for details on requirements for a Wetland Delineation Report.  To help expedite the review process of your application, it is recommended you submit a Wetland Delineation Report and conceptual wetland mitigation plan (if applicable), completed in accordance with Development Assistance Brochures Nos. 9 and 10 as soon as possible. These may be submitted prior to any land use or SEPA application.		Based upon a review of the City of Kent Wetland Inventory Maps, it does not appear that a Wetland Delineation Report will be required for this site. The Department of Public Works reserves the right to require a Wetland Delineation Report if an on-site visit indicates the probable presence of wetlands.  Some wetland information may be available for this site located in the City of Kent Wetland File No Public Works, Environmental Engineering Division. Additional information may be required.
SIGNED:_	(Applicant / Owner)		DATE:

BH1-1 pwd2020 12/02/02 p. 1 of 1